

The Worlds Best Fishing Rods and Blanks are still made in America



BLANK CATALOG

2009



David Choat (Wahoodad)

**On his quest for the first Yellowfin Tuna over 400 pounds.
David uses SEEKER RODS and BLANKS**

TO OUR VALUED CUSTOMERS;

Over the last year the dramatic increase in the popularity of SEEKER™ rods and blanks has kept us busy reinforcing our production capabilities. James Parrish, President of Parrish Enterprises Ltd., shares my vision for SEEKER™ and has committed to the future expansion of our manufacturing facilities to meet the rapidly increasing demand for our products.

Parrish Enterprises' technical expertise and highly qualified staff of professionals, is your assurance that SEEKER™ will grow at a rate that can support our customers needs, and most importantly, provide quality service to match.

At SEEKER™ we continue to expand our product line, implementing the latest in state-of-the-art materials and technology, to produce the very finest in rods and blanks. That's just part of our commitment in providing you, our customer, with quality products and service, backed by the highest integrity.

As always, we appreciate hearing from you and learning from your comments and ideas. Please feel free to call us or write, if you have any input or questions. We are here to serve you.

We sincerely appreciate your business.

Joseph Pfister

Joseph Pfister

Vice President/General Manager

Seeker™ Rod Company 1340 W. Cowles, Long Beach, CA 90813

The people who fish with the rods and blanks they design.

Seeker Rod Company
1340 W. Cowles, Long Beach, CA 90813
Phone (562) 491-0076 • FAX (562) 435-7599
Outside of Southern California
Phone 1-800-3-SEEKER • FAX 1-800-SEEK ROD
www.seekerrodsusa.com



Rose Burns: Soft Steel Fishing Line counts on Seeker Rods when catching big tuna.



Super Seeker

COMPOSITE GRAPHITE "S" GLASS SALT WATER ROD BLANKS

composed of 120 Carbon fiber and "Super Glass" with our new EH04 Epoxy Resin System. By using Carbon Fiber transitioning into a Super Glass tip we have constructed the most powerful and fastest recoil blanks SEEKER has ever manufactured.

LIVE BAIT

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
SS-CLBF704	7'	10-15	FAST	6.5	0.820
SS-CLBF706	7'	12-20	FAST	7	0.845
SS-CLBF708	7'	15-25	FAST	8	0.860
SS-CLB804	8'	12-20	MED	6.5	0.805
SS-CLB806	8'	15-25	MED	7	0.850
SS-CLB806H	8'	20-30	MED	8	0.890
SS-CLB90F	9'	15-25	FAST	7	0.900
SS-CJB60XF	6'	15-25	X-FAST	7	0.750
SS-CJB65F	6 1/2'	15-30	FAST	7	0.790
SS-CJB70F	7'	20-30	FAST	7	0.825
SS-CJB80F	8'	15-40	FAST	8	0.880
SS-CJB90F	9'	20-30	FAST	8	0.955



JIG AND BAIT

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
SS-CJB65	6 1/2'	25-40	MED	9	0.825
SS-CJBF60	6'	25-40	FAST	9	0.985
SS-CJBF60H	6 1/2'	40-60	FAST	12	1.010
SS-CJBF65	6 1/2'	25-40	FAST	9	1.035
SS-CJBF65H	6 1/2'	30-50	FAST	11	1.050
SS-CJBF65XH	6 1/2'	30-80	FAST	12	1.070
SS-CJBF70M	7'	25-40	FAST	8	0.985
SS-CJBF70	7'	30-50	FAST	9	1.070
SS-CJBF70H	7'	40-60	FAST	12	1.115
SS-CJBF70XH	7'	50-80	FAST	12	1.125
SS-CJBF80	8'	20-40	FAST	9	1.020
SS-CJBF80H	8'	30-50	FAST	10	1.170
SS-CJBF80XH	8'	40-60	FAST	12	1.120
SS-CJBF85	8 1/2'	20-40	MED	11	1.020
SS-CJBF90	9'	20-40	FAST	8	1.070
SS-CJBF90M	9'	25-50	FAST	9	1.150
• SS-CJBF100	10'	20-50	FAST	9	1.180

TUNA STICK

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
SS-CTS55XH	5 1/2'	40-60	MED	12	0.850
SS-CTS60H	6'	30-60	MED	10	0.830
SS-CTSF50XXH	5'	60-100	FAST	14	0.920
SS-CTSF55XH	5 1/2'	50-80	FAST	12	0.860
SS-CTSF55XXH	5 1/2'	60-100	FAST	14	0.930
SS-CTSF55XXXH	5 1/2'	80-130	FAST	16	0.910
SS-CTS60XH	6'	50-80	FAST	12	0.925
SS-CTSF63XXH	6'3"	60-100	FAST	14	0.990
SS-CTSF63XXXH	6'3"	80-130	FAST	16	1.010
SS-CTSF63XXXXH	6'3"	80-150	FAST	16	1.020
SS 2X4	7'	60-130	FAST	14	1.020

VINTAGE COPIES

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
• SS-36	8'	15-30	MED	10	0.980
• SS-D8	8'	20-50	MED	12	1.160
• SS-BH89	8'9"	15-30	MED	9	1.050
• SS-LM9	9'	20-40	MED	10	1.030

JIG STICKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
• SS-ULUA93H	9'3"	30-60	MED	14	1.385
• SS-C-ULUA93H	10'	25-60	MED	9	1.354
• SS-C-BABY ULUA	10'	20-40	MED	8	1.320

• Available in Green



COMPOSITE GRAPHITE/ "E" GLASS/BORON SALTWATER ROD BLANKS

A composite of E-Glass fiberglass and unidirectional high modulus graphite, make these one of the lightest saltwater blanks available. SEEKER™ has done extensive research on mandrel and pattern design to offer the ultimate composite blank. The SEEKER resin system, E-Glass and Graphite are combined so there are alternating layers of both materials in the butt section on the blank. SEEKER'S unique use of E-Glass provides unequalled durability and strength throughout the length of the blank, while the unidirectional graphite adds stiffness for hook setting and fish fighting power at a 30% to 40% weight savings.

Black Steel Graphite

LIVE BAIT ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CLB602	6'2"	8-12	Fast	6	.620
CLB604	6'0"	8-12	Fast	6 1/2	.640
CLB606	6'0"	12 (15) 20	Fast	7	.680
CLB702	7'0"	8 (12) 15	Fast	6	.700
CLB704	7'0"	10 (15) 25	Fast	6 1/2	.735
CLB706	7'0"	12 (15) 20	Fast	7	.765
CLB708	7'0"	15 (25) 40	Fast	8	.780
CLB804	8'0"	10 (15) 25	Fast	6 1/2	.770
CLB806	8'0"	12 (20) 30	Fast	7	.775
CLB806H	8'0"	15 (25) 40	Fast	8'	.780

FAST TAPER LIVE BAIT BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CLBF704	7'	10 (12) 15	Fast	6	.800
CLBF706	7'	12 (15) 20	Fast	6 1/2	.835
CLBF708	7'	15 (20) 25	Fast	7	.860

FAST TIP JIG & HEAVY BAIT ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CJB60XF	6'0"	15 (20) 40		6 1/2	.940
CJB65F	6'6"	15 (20) 40		7	.925
CJB70F	7'0"	20 (25) 40		7	.975
CJB80F	8'	20 (25) 30		7	1.000
CJB90F	9'	20 (25) 30		7	1.20

JIG STYLE ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CJB60	6'0"	20 (30) 40	Fast	9	.740
CJB65	6'6"	20 (30) 40	Fast	9	.775
CJB65H	6'6"	30 (40) 80	Fast	10	.855
CJB70	7'0"	20 (30) 50	Fast	9	.790
CJB70H	7'0"	30 (40) 80	Fast	10	.875
CJB80H	8'0"	30 (40) 80	Fast	10	.920

FAST ACTION JIG & BAIT

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CJBF60	6'0"	20 (30) 40	Fast	8	.740
CJBF60H	6'0"	40 (50) 60	Fast	8	1.000
CJBF65	6'6"	20 (30) 40	Fast	8	1.015
CJBF65H	6'6"	30 (40) 50	Fast	11	1.050
CJBF65XH	6'6"	30 (60) 80	Fast	12	1.050
CJBF70M	7'	25 (30) 40	Fast	8	0.985
CJBF70	7'	30 (40) 50	Fast	9	1.080
CJBF70H	7'	40 (50) 60	Fast	11	1.100
CJBF70XH	7'	50 (60) 80	Fast	12	1.125
CJBF80	8'	20 (30) 40	Fast	9	1.145
CJBF80H	8'	30 (40) 50	Fast	9	1.160
CJBF80XH	8'	40 (50) 60	Fast	10	1.210
CJBF90M	9'	25 (40) 50	Fast	9	1.125

TUNA ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CTS55H	5'6"	30 (40) 80		10	.830
CTS55XH	5'6"	40 (50) 60		12	.825
CTS60H	6'0"	30 (40) 60		10	.830
CTS60XH	6'0"	40 (50) 100		12	.855

FAST TAPER TUNA ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CTSF50XXH	5'	60 (80) 100	Fast	14	.900
CTST55XH	5'6"	50 (60) 80	Fast	12	.875
CTSF55XXH	5'6"	60 (80) 100	Fast	14	.930
CTSF55XXXH	5'6"	80 (100) 130	Fast	16	.950
CTSF60XH	6'0"	50 (60) 80	Fast	12	1.060
CTSF60XXH	6'0"	60 (80) 130	Fast	14	1.060
CTSF60XXXH	6'0"	80 (100) 130	Fast	16	.945
CTSF63XXH	6'3"	60 (80) 100	Fast	14	1.100
CTSF63XXXH	6'3"	80 (100) 130	Fast	14	1.000
CTS63XXXXH	6'3"	80 (100) 150	Fast	16	1.10

MEDIUM ACTION LIVE BAIT & JIG ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
CSB807	8'0"	20 (25) 30		9	.785
CSB907	9'0"	20 (25) 30		9	.860
CSB909	9'0"	25 (30) 50		10	.940
CSJ90	9'0"	20 (25) 30		8	.940
CSJ100	10'0"	20 (25) 40		8	.970

BASS CASTING & SPINNING ROD BLANKS

Model No.	Length	Line Size	Lure WGT.	Tip Size	Butt Size
CBS705	7'0"	8 (10) 15	3/8-3/4	5	.575
CBS706	7'0"	8 (12) 20	1/2-1	5 1/2	.580
CBS707	7'0"	10 (12) 25	3/8-1 1/2	5 1/2	.585

Blue Lightning

INSHORE ROD BLANKS

Model No.	Length	Line Size	Lure WGT.	Tip Size	Butt Size
CSW556	5'6"	10 (12) 15	3/4-1 1/2 oz	6 1/2	.510
CBW598	5'9"	15 (20) 25	3/4-1 1/2 oz	7	.790
CBW658	6'6"	15 (20) 25	1/2-2 oz	7	.800
CSW705	7'0"	8 (10) 15	3/8-3/4 oz	6	.640
CSW706	7'0"	10 (12) 17	1/2-1 oz	6 1/2	.665
CSW708	7'0"	12 (15) 20	3/4-1 1/2 oz	7	.680
CBW709	7'0"	20 (25) 30	1-3 oz	8	.800
CBW809	8'0"	20 (25) 30	1-4 oz	8	.875
CSW857	8'6"	10 (15) 17	1/2-2 oz	7	.800
CSW858	8'6"	12 (15) 20	3/4-2 1/2 oz	7	.820
CSW908	9'	12 (15) 20	3/4-2 1/2 oz	7	.850
CSW808	8'	15 (20) 25	1/2-3 oz	8	.860
CSW1008	10'	15 (20) 25	1/2-3oz	8	.900



Expert Angler Ed Surek relies on Seeker InShore rods to win Catch & Release United Anglers C.A.S.T. tournament.

"E" GLASS/BORON SALTWATER ROD BLANKS cont and I.G.F.A. TROLLING ROD BLANKS

MARLIN LIVE BAIT ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
MLB16	7'0"	16		9	.820
MLB20	7'0"	20		9	.890
MLB30	7'0"	30		9	.905
MLB50	7'0"	50		9	.930
MLB30H	7'3"	30		10	.900

LIFT POLE BLANKS

	Length	ACTION
LIGHT	10'	SKIPJACK
MEDIUM	10'	ALBACORE
HEAVY	10'	TUNA

COMMERCIAL LIFT POLE BLANKS FAST TAPER

	Length	ACTION
BAIT	10'	ALBACORE
SQUID	10'	ALBACORE

IGFA Trolling Rod Blanks

Available in black or white paint finish, these heavy blanks are designed especially for East Coast, Gulf Coast, Hawaii and Australia. Manufactured to fit standard AFTCO Uni-Butt ferrules, up to 6" of the blank butt may be trimmed without affecting the butt diameter. These blanks are smoothly polished and finished with several coats of white or black epoxy paint for an impeccable finish.

I.G.F.A. TROLLING ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
IGFA12	5'8"	12 lb.		11	.745
IGFA16	5'8"	16 lb.		12	.745
IGFA20	5'8"	20 lb.		13	.745
IGFA30	5'8"	30 lb.		16	.745
IGFA50	5'8"	50 lb.		17	.870
IGFA80	5'9"	80 lb.		23	.995
IGFA130	5'10"	130 lb.		29	1.180
IGFA180	6'6"	180 lb.		23	1.180

IGFA DEEP DROP BLANKS

	Length	Line Size	Tip Size	Butt Size
IGFA Stubby 80 3'7"	80 lb.		23	.995
IGFA Stubbie130 3'7"	130lb		28	1.090

HEAVY

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
IGFA 30 H	5'8"	30 lb.		16	.745
IGFA 50 H	5'8"	50 lb.		17	.870
IGFA 80 H	5'9"	80 lb.		23	.995
IGFA 180 H	6'6"	180 lb.		23	1.325



Pro-Staff lady angler Deena Nelson likes to catch big fish on Seeker Inshore Rods.

FIBERGLASS "E" GLASS/BORON FRESHWATER and LIGHT SALTWATER ROD BLANKS

This versatile line of fresh and light saltwater blanks, feature special thin-wall designs and a high-density lamination process that reduces rod weight and increases performance.

ONE-PIECE FRESHWATER SPINNING ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
SP501-1	5'0"	2 (2) 4	1/16-5 1/2	5 1/2	.370
SP550-1	5'6"	1 (2) 4	1/32-3/16	4 1/2	.465
SP601-1	6'0"	2 (4) 6	1/16 -1/4	5 1/2	.420
SP652-1	6'6"	2 (4) 8	1/8-3/8	5 1/2	.610
SP702-1	7'0"	2 (4) 8	1/8-3/8	6	.430
SP703-1	7'0"	4 (6) 10	1/4-5/8	5 1/2	.680
SP704-1	7'0"	6 (8) 12	1/4-5/8	5	.685
SP753-1	7'6"	4 (6) 10	1/4-1/2	5 1/2	.725

TWO-PIECE FRESHWATER SPINNING ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
SP551	5'6"	2 (4) 6	1/8-5/16	5	.500
SP601	6'0"	2 (4) 6	1/8-5/16	5 1/2	.540
SP602	6'0"	2 (4) 8	1/8-3/8	5	.490
SP603	6'0"	4 (6) 10	1/4-1/2	5	.550
SP604	6'0"	6 (8) 12	1/4-5/8	5	.640
SP652	6'0"	2 (4) 8	1/8-3/8	5	.535
SP653	6'6"	4 (6) 10	1/4-1/2	5	.590
SP654	6'6"	6 (8) 12	1/4-5/8	5 1/2	.635
SP700	7'0"	1 (2) 4	1/32-3/16	4 1/2	.465
SP703	7'0"	4 (6) 10	1/4-1/2	5	.640
SP704	7'0"	6 (8) 12	1/4-5/8	5 1/2	.660
SP753	7'6"	4 (6) 10	1/4-1/2	6	.665
SP754	7'6"	6 (8) 12	1/4-5/8	5 1/2	.790

BASS SPINNING ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
BS552	5'6"	4 (6) 10	1/8-3/8	4 1/2	.605
BS553	5'6"	6 (8) 12	1/8-5/8	5	.610
BS591	5'9"	4 (6) 8	1/16-5/16	4 1/2	.535
BS604	6'0"	8 (10) 15	1/4-3/4	5	.655
BS655	6'6"	8 (10) 17	3/8-3/4	5	.705
BS701	7'0"	4 (6) 8	1/16-5/16	4 1/2	.630
BS705	7'0"	8 (10) 17	3/8-3/4	5	.765
BS706	7'0"	8 (12) 20	1/2-1	6	.775
BS756	7'6"	8 (12) 20	1/2-1	4 1/2	.845

BASS CASTING ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
BC604	6'0"	6 (8) 15	3/8-1/2	5	.660
BC605	6'0"	8 (10) 17	1/4-3/4	5	.675
BC606	6'0"	8 (12) 20	3/8 -1	5 1/2	.675
BC607	6'0"	10 (15) 25	3/8-1 1/4	5	.690
BC705	7'0"	8 (10) 20	1/4-3/4	5	.785
BS706	7'0"	10 (12) 20	3/8-1	5 1/2	.785
BF758	7'6"	12 (20) 30	3/8-2	7	.810
BF758X	7'6"	12 (20) 30	3/8-2	7	.801

"S" GLASSBASS BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
BS706"S"	7'	10 (12) 20	3/8-1	5 1/2	.785
BC706"S"	7'	12 (15) 25	1/2-1	6	.795
BS756"S"	7 1/2'	10 (12) 20	3/8-1	5 1/2	.900

MUSKY ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
MU606	6'0"	12 (20) 30	1-3	11	.810

POPPING ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
P702	7'0"	6 (10) 12	1/4-1/2	5	.685
P704	7'0"	8 (12) 15	1/4-3/4	5 1/2	.685
P706	7'0"	10 (14) 20	1/2-1	6	.775
P708	7'0"	12 (15) 25	1-3	8	.825

STEELHEAD, SALMON MOOCHING & DOWNRIGGER ROD BLANKS

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
SH792	7'9"	6 (12) 15	1/4-5/8	5	.720
SH804	8'0"	8 (15) 20	3/8-1	5	.810
SH832	8'3"	6 (12) 15	1/4-5/8	4 1/2	.775
SH851	8'6"	6 (10) 12	1/8-1/2	4 1/2	.705
SH854	8'6"	8 (15) 20	3/8-1	5	.865
SH904	9'0"	8 (15) 20	3/8-1	5	.910
SH1004	10'0"	8 (15) 20	3/8-1	5	1.000
SH1056	10'6"	10 (15) 20	3/8-1 1/2	7	.850

All of the above blanks are two-piece

SALMON MOOCHING

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
SA853F	8'6"	10 (20) 25	5/8-1 1/2	5 1/2	.940
SA896	8'9"	12 (20) 30	1-2 1/2	8	.920
CSA896	8'9"	15 (25) 30	1 1/2 3	8	.930

All of the above blanks are two-piece

DOWNRIGGER

Model No.	Length	Line Size	LURE WGT.	Tip Size	Butt Size
DR822	8'2"	6 (12) 15	3/4 - 1	5	.795

All of the above blanks are two-piece

PREMIUM QUALITY "E" GLASS/BORON SALTWATER ROD BLANKS

Are manufactured in a modern facility, utilizing specially built equipment, tooling and materials. We at SEEKER are confident that our blanks will exceed all of your expectations for quality, durability, finish and performance. All blanks are one-piece unless otherwise specified.

FAST ACTION LIVE BAIT ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
LB701	7'0"	8 (10) 15		6	.785
LB702	7'0"	8 (12) 20		6	.830
LB704	7'0"	10 (15) 25		6 1/2	.900
LB706	7'0"	12 (20) 30		7	.930
LB708	7'0"	15 (25) 40		8	.955
LB799	7'9"	20 (30) 50		8	.980
LB804	8'0"	10 (15) 25		6 1/2	.965
PT80	8'0"	10 (15) 25		7	.890
LB806	8'0"	12 (20) 30		7	.980
LB806H	8'0"	15 (25) 40		8	.995
LB90	9'0"	15 (25) 40		8	.970
LB100	10'0"	15 (25) 40		8	1.070

JIG & HEAVY BAIT ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
JB60L	6'0"	20 (25) 40		9	.805
JB60	6'0"	20 (30) 50		9	.870
JB65L	6'6"	20 (25) 40		9	.855
JB65	6'6"	20 (30) 50		9	.950
JB65H	6'6"	30 (40) 80		10	.990
JB65XH	6'6"	40 (60) 100		11	.995
JB70L	7'0"	20 (25) 40		9	.920
JB70	7'0"	20 (30) 50		9	.975
JB70H	7'0"	30 (40) 80		10	1.015
JB80	8'0"	20 (30) 50		9	.930
JB80H	8'0"	30 (40) 80		10	1.080
JB80XH	8'0"	40 (60) 100		12	1.045

LONG RANGE STAND-UP TUNA ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
TS55	5'6"	20 (30) 50		9	.885
TS55H	5'6"	30 (40) 80		10	.900
TS55XH	5'6"	40 (60) 100		12	.930
TS55XXH	5'6"	50 (80) 130		14	.950
TS59XXXH	5'9"	60 (100) 150		16	1.050
TS60H	6'0"	30 (40) 80		10	.895
TS60XH	6'0"	40 (60) 100		12	.970
TS63XXH	6'0"	50 (80) 130		14	1.000

FAST TAPER STAND-UP TUNA ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
TSF55XL	5'6"	15 (20) 30		9	.800
TSF55L	5'6"	20 (25) 40		9	.935
TSF55	5'6"	20 (30) 50		9	.990
TSF55H	5'6"	30 (40) 80		10	.975
TSF55XH	5'6"	40 (60) 100		12	1.030
TSF55XXH	5'6"	50 (80) 130		14	.995
TSF60H	6'0"	30 (40) 80		10	.990
TSF60XH	6'0"	40 (60) 100		12	1.090
TSF60XXH	6'0"	50 (80) 130		14	1.055

MEDIUM ACTION LIVE BAIT & JIG ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
SB803	8'0"	10 (12) 15		6 1/2	.830
SB805	8'0"	15 (20) 25		7	.855
SB806	8'0"	15 (20) 30		7	.900
SB807	8'0"	20 (25) 30		9	.965
SB903	9'0"	12 (15) 20		6 1/2	.860
SB906	8'0"	15 (20) 30		7	.930
SB907	9'0"	20 (25) 30		9	.970
SB908	9'0"	25 (30) 40		9	1.015
SB909	9'0"	30 (40) 50		10	1.015

S GLASS JIG BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
S36	8'	20 (25) 30		10	.950
SD8	8'	25 (30) 40		11	1.10
Ulua93h-10	10'	25 (40) 60		8	1.375
Ulua100 (E Glass)10'	10'	20 (30) 40		8	1.35

JIG BAIT & SURF ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
SJ85	8'6"	20 (25) 30		8	1.160
SJ90	9'0"	20 (25) 30		8	1.200
SJ90F	9'0"	20 (30) 50		8	1.240
SJ100L	10'0"	20 (25) 30		8	1.290
SJ100	10'0"	20 (30) 40		8	1.355
SJ100H	10'0"	40 (50) 60		9	1.375
SJ100XH	10'0"		40 (60) 80	10	1.410
SJ/ULUA EXT. Adds 5'			Removable or glue-in extension		

ONE PIECE SURF ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
SU1153M	11'6"	15 (20) 30	3-6 oz.	12	1.060
SU153	11'6"	15 (20) 30	3-6 oz.	13	1.140
SU1154M	11'6"	20 (25) 30	4-8 oz.	12	1.105
SU1155	11'6"	20 (30) 40	6-10 oz.	14	1.165

TWO-PIECE SURF ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
SU80	8'0"	12 (15) 20	1-3 oz.	6 1/2	.900
SU90	9'0"	12 (15) 20	1-4 oz.	6 1/2	.960
SU100L	10'0"	12 (15) 20	2-4 oz.	7	1.055
SU105H	10'6"	20 (30) 40	4-8 oz.	14	1.205
SU120	12'0"	15 (20) 30	3-6 oz.	7	1.270
SU150	15'0"	15 (25) 40	4-8 oz.	7	1.580

BREAKWATER BASS ROD BLANKS

Model No.	Length	Line Size	Action	Tip Size	Butt Size
BW607XF	6'0"	12 (15) 20		6	.770
BW639XF	6'3"	20 (25) 30		7	.895

Extremely fast tapers with lots of power. Excellent for Tarpon and Snook.

**EAST COAST AND GULF COAST
PLUG AND SPINNING ROD BLANKS**

Model No.	Length	Line Size	Action	Tip Size	Butt Size
PS72	7'2"	10 (15) 20		7	.700
PS78	7'8"	12 (20) 30		7	.780
PS80	8'0"	15 (20) 25		6	.815
PS85	8'6"	20 (25) 40		8	.985
PS90	9'0"	15 (20) 25		6	1.076
PS100	10'0"	20 (25) 40		8	1.245

ROCK COD AND GAFF BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
4FT. GAFF	4'0"			30 (1/4 I.D.)	.765
6FT. GAFF	6'0"			30 (1/4 I.D.)	.930
8FT. GAFF	8'0"			30 (1/4 I.D.)	1.050
10FT. GAFF	10'0"			30 (1/4 I.D.)	1.170

ONE-PIECE BOAT & TROLLING ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
BT20	7'0"	18 (20) 25		10	.850
BT30	7'0"	25 (30) 40		14	.905
BT50	7'0"	40 (50) 60		16	.995

All of the One-Piece Boat and Trolling Rod Blanks are available in a White Finish at an Additional Cost.

TWO-PIECE MAGNUM TAPER HEAVY**FRESHWATER & LIGHT SALTWATER ROD BLANKS**

MS65	6'6"	8 (12) 15		5 1/2	1.00
MS70	7'	8 (12) 15		5 1/2	1.00
MS75	7'6"	8 (12) 15		5 1/2	1.00

MAGNUM TAPER BAIT

MB79	7'9"	10 (15) 25		7	1.00
MB83	8'3"	10 (15) 20		6	1.00

Classic Series

"E" GLASS/BORON SALTWATER ROD BLANKS**ONE-PIECE FRESHWATER SPINNING ROD BLANKS**

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
110	6'0"	2 (4) 6		4 1/2	.400
120-51/2	5'6"	2 (4) 8		5	.560
120-6	6'	2 (6) 8		5	.560
130-61/2	6'6"	4 (6) 10		5 1/2	.665
130-7	7'0"	4 (6) 10		5 1/2	.735
147	7'0"	6 (8) 12		6 1/2	.830

FAST ACTION LIVE BAIT ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
140	6'5"	6 (8) 12		6 1/2	.800
195-6	6'0"	8 (10) 20		6	.710
195H-6	6'0"	10 (12) 25		7	.710
196-6	6'0"	10 (15) 25		6 1/2	.790
196H-6	6'0"	12 (15) 30		7	.820
196L-7	7'0"	8 (12) 20		6 1/2	.875
196-7	7'0"	10 (15) 25		6 1/2	.875
196L-8	8'0"	8 (12) 20		6	.950
196-8	8'0"	10 (15) 25		6 1/2	.950
196H-8	8'0"	12 (20) 30		8	.960
210	7'6"	10 (15) 30		7	.850
220	8'6"	10 (15) 30		7	.915
229	9'0"	10 (15) 30		6	.815
270-6	6'0"	12 (20) 30		7	.800
270-7	7'0"	12 (20) 30		8	.925
270H-7	7'0"	15 (25) 40		8	.925

FAST ACTION LIVE BAIT ROD BLANKS (Cont.)

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
270-8	8'0"	12 (20) 30		7	.990
270H-8	8'0"	15 (25) 40		8	.995
865	6'6"	15 (25) 40		8	.920
865H	6'6"	20 (30) 50		9	.975
865XH	6'6"	25 (40) 60		10	1.020
870	7'0"	15 (25) 40		8	.960
970	7'0"	15 (25) 40		7	.975
6865	6'6"	15 (25) 40		8	.970
6870	7'0"	20 (30) 50		8	1.005

FAST ACTION LIVE BAIT ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
660L	6'0"	20 (25) 40		8	.820
660	6'0"	20 (30) 50		9	.910
665L	6'6"	20 (25) 40		8	.855
665	6'6"	20 (30) 50		9	.910
665H	6'6"	30 (40) 80		10	1.025
665XH	6'6"	40 (60) 100		11	1.025
670L	7'0"	20 (25) 40		9	.915
670	7'0"	20 (30) 50		9	.970
670-8	8'0"	20 (30) 50		9	1.050
670-9	8'0"	20 (30) 50		9	1.115
670H	7'0"	30 (40) 80		10	1.045
670XH	7'0"	40 (60) 100		11	.990
670H-8	8'0"	30 (40) 80		10	1.100
690J	9'0"	15 (25) 40		9	1.015

FAST TAPER JIG & BAIT ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
6460L	6'0"	20 (25) 40		8	.920
6460	6'0"	20 (30) 50		9	.990
6465L	6'6"	20 (25) 40		8	.965
6465	6'6"	20 (30) 50		9	1.035
6465H	6'6"	30 (40) 80		10	1.065
6470	7'0"	20 (30) 50		9	1.080
6480	8'0"	20 (30) 50		8	1.085
6490	9'0"	30 (40) 60		9	1.300

LONG RANGE STAND-UP TUNA ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
655	5'6"	20 (30) 50		9	.885
655H	5'6"	30 (40) 80		10	.900
655XH	5'6"	40 (60) 100		12	.990
655XXH	5'6"	50 (80) 130		14	.935
660H	6'0"	30 (40) 80		10	.990
660XXH	6'0"	50 (80) 130		14	.945

FAST TAPER STAND-UP TUNA ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
6455L	5'6"	20 (25) 40		8	.990
6455	5'6"	20 (30) 50		9	.945
6455H	5'6"	30 (40) 80		10	.950
6460H	5'6"	30 (40) 80		10	1.015
6455XH	5'6"	40 (60) 100		12	.965
6460XH	5'6"	40 (60) 100		12	1.025
6450XXH	5'0"	50 (80) 130		14	.965
6455XXH	5'6"	50 (80) 130		14	.990
6460XXH	5'6"	50 (80) 130		14	1.050

JIG/BAIT & SURF ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
530	9'0"	15 (25) 40		9	.975
540	10'0"	20 (30) 50		9	1.310
550	9'0"	20 (40) 80		9	.900

ROCK COD ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
775-7	7'0"	50 (80) 100		18	.945
775-71/2	7'6"	50 (80) 100		20	.970
775-8	8'0"	50 (80) 100		20	.990

SPECIALITY ROD BLANKS

Model No.	Length	Line Size	ACTION	Tip Size	Butt Size
200	7'0"	10 (12) 20		7	.775
330	7'0"	15 (25) 40		12	.830
400	7'0"	10 (15) 30		7	.775
500	7'0"	20 (25) 30		8	.880
600	7'0"	25 (30) 60		8	1.020
610	7'0"	25 (30) 60		9	1.035
610H	7'0"	30 (40) 80		10	1.170
700	7'9"	15 (30) 50		10	.990
800	8'0"	20 (40) 60		8	1.080
820	7'6"	15 (30) 50		8	1.025

FRESHWATER AND LIGHT SALTWATER

- SP – Fiberglass Fast Action Freshwater Spinning
- BS – Fiberglass Fast Action Bass Spinning
- BC – Fiberglass Fast Action Bass Casting
- BF – Fiberglass Medium Action Bass Flipping
- TC – Fiberglass Trigger Casting and Cranking
- SH – Fiberglass Fast Action Steelhead
- SA – Fiberglass Medium/Fast Action Salmon Mooching
- DR – Fiberglass Medium/Slow Action Down Rigger
- MS – Fiberglass Magnum Taper Fast Action Spinning
- MB – Fiberglass Magnum Taper Fast Action Bait
- MU – Fiberglass Musky
- P – Fiberglass Popping


ROD BLANK SUFFIX DESIGNATIONS:

- F – Very Fast Action
- m – Medium or Moderate Action
- XF – Extra Fast Action
- LG – Extended (Longer Length)

SALTWATER ROD BLANK SUFFIX

POWER DESIGNATIONS:

- XL – Extra Light Power
- L – Light Power
- H – Heavy Power
- XH – Extra Heavy Power ~ 30 - 80
- XXH – Double Extra Heavy Power ~ 40 - 100
- XXXH – Triple Extra Heavy Power ~ 50 - 130
- XXXXH – Quad Extra Heavy Power ~ 130 - 150



HOW TO READ SEEKER™ BLANK NUMBER SYSTEM

CLASSIC SERIES NUMBER SYSTEM:

On the Classic Series saltwater rod blanks we have adopted the "Original California Tackle" numbering system which has, to some degree, become generic.

BASIC BLANK PREFIX DESIGNATIONS:

FIBERGLASS SALTWATER BLANKS

- LB – Fast Action Live Bait
- PT – Power Taper Live Bait
- JB – Medium/Fast Action Jig and Bait
- JBF – Fast Taper Jig and Bait
- SS – Super Seeker
- TS – Medium Action Tuna Stick
- TSF – Fast Taper Tuna Stick
- SB – Medium/Slow Action Jig and Bait
- SJ – Medium/Fast Action Surf and Jig
- BW – Extra-Fast Action Breakwater Bass
- PS – Fiberglass Plug and Spinning
- BT – Fiberglass Boat/Trolling
- RC – Medium Action Rock Cod
- R – Regulation Trolling – West Coast Style
- MLB – Marlin Live Bait Casting
- IGFA – International Game Fish Assoc. Chair Trolling
- ULUA – ULUA Casting
- SW – Inshore Saltwater

GRAPHITE COMPOSITE SALTWATER BLANKS

- CLB – Composite Moderate Action Live Bait
- CJBF – Composite Fast Action
- CJB – Composite Moderate Action Jig and Bait
- CLBF – Composite Live Bait Fast Action
- CTS – Composite Moderate Action Tuna Stick
- CTSF – Composite Fast Taper Tuna Stick
- CSB – Composite Medium Action Jig and Bait
- CBC – Composite Bass Casting
- CBS – Composite Bass Spinning
- CSW – Composite Inshore Saltwater



Randy Penny: Winner of the Seeker's coveted Expert Angler Award



Seeker Rod Company

1340 W. Cowles, Long Beach, CA 90813
 Phone (562) 491-0076 • FAX (562) 435-7599
 Outside of Southern California
 Phone 1-800-3-SEEKER • FAX 1-800-SEEK ROD
 www.seekerrodsusa.com