



# BLANK CATALOG

## 2007



**Fishermen Committed to  
Excellence!  
Use Seeker rods & blanks  
Long Range Captain  
John Grabowski**

TO OUR VALUED CUSTOMERS,

*Over the last year the dramatic increase in the popularity of SEEKER™ rods and blanks has kept us busy reinforcing our production capabilities. James Parrish, President of Parrish Enterprises Ltd., shares my vision for SEEKER™ and has committed to the future expansion of our manufacturing facilities to meet the rapidly increasing demand for our products.*

*Parrish Enterprises' technical expertise and highly qualified staff of professionals is your assurance that SEEKER™ will grow at a rate that can support our customers needs, and most importantly, provide quality service to match.*

*At SEEKER™ we continue to expand our product line, implementing the latest in state-of-the-art materials and technology to produce the very finest in rods and blanks. That's just part of our commitment in providing you, our customers, with quality products and service, backed by the highest integrity.*

*As always, we appreciate hearing from you and learn from your comments and ideas. Please feel free to call us or write if you have any input or questions. We are here to serve you.*

*We sincerely appreciate your business.*

*Joseph Pfister*

Joseph Pfister  
Vice President/General Manager  
Seeker™ Rod Company

**The people who fish with the  
rods and blanks they design.**



*"Best of the Best"*

Seeker Rod Company  
1340 W. Cowles, Long Beach, CA 90813  
Phone (562) 491-0076 • FAX (562) 435-7599  
Outside of Southern California  
Phone 1-800-3-SEEKER • FAX 1-800-SEEK ROD  
www.seekerrodsusa.com



**Rose Burns:** Soft Steel Fishing Line counts on Seeker Rods when catching big tuna.

## COMPOSITE GRAPHITE/ "E" GLASS/BORON SALTWATER ROD BLANKS

A composite of E-Glass fiberglass and uni-directional 30 million modulus graphite make these the newest and lightest saltwater blanks available. SEEKER™ has done extensive research on mandrel and pattern design to offer the ultimate in a composite blank. SEEKER'S™ resin system, E-Glass and graphite are combined so that there are alternation layers in both materials in the butt section on the blank. SEEKER'S™ unique use of E-Glass provides unequalled durability and strength throughout the length of the blank while the unidirectional graphite adds stiffness for hook setting and fish fighting power at a 30% to 40% weight savings in the blank!



Expert Angler Ed Surek relies on Seeker InShore rods to win Catch & Release United Anglers C.A.S.T. tournament.

### LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CLB602	6'2"	8 - 12	Fast	6	.620
CLB604	6'0"	8 - 12	Fast	6 1/2	.640
CLB606	6'0"	12 (15) 20	Fast	7	.680
CLB702	7'0"	8 (12) 15	Fast	6	.700
CLB704	7'0"	10 (15) 25	Fast	6 1/2	.735
CLB706	7'0"	12 (15) 20	Fast	7	.765
CLB708	7'0"	15 (25) 40	Fast	8	.780
CLB804	8'0"	10 (15) 25	Fast	6 1/2	.770
CLB806	8'0"	12 (20) 30	Fast	7	.775
CLB806H	8'0"	15 (25) 40	Fast	8'	.780

### FAST TAPER LIVE BAIT BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CLBF704	7'	10 (12) 15	Fast	6	.800
CLBF706	7'	12 (15) 20	Fast	6 1/2	.835
CLBF708	7'	15 (20) 25	Fast	7	.860

### FAST TIP JIG & HEAVY BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CJB60XF	6'0"	15 (20) 40		6 1/2	.940
CJB65F	6'6"	15 (20) 40		7	.925
CJB70F	7'0"	20 (25) 40		7	.975
CJB80F	8'	20 (25) 30		7	1.000
CJB90F	9'	20 (25) 30		7	1.20

### JIG STYLE ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CJB60	6'0"	20 (30) 40	Fast	9	.740
CJB65	6'6"	20 (30) 40	Fast	9	.775
CJB65H	6'6"	30 (40) 80	Fast	10	.855
CJB70	7'0"	20 (30) 50	Fast	9	.790
CJB70H	7'0"	30 (40) 80	Fast	10	.875
CJB80H	8'0"	30 (40) 80	Fast	10	.920

### FAST ACTION JIG & BAIT

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CJBF60	6'0"	20 (30) 40	Fast	8	.740
CJBF60H	6'0"	40 (50) 60	Fast	9	1.00
CJBF65	6'6"	20 (30) 40	Fast	8	1.015
CJBF65H	6'6"	30 (40) 50	Fast	11	1.050
CJBF65XH	6'6"	30 (60) 80	Fast	12	1.050
CJBF70	7'	30 (40) 50	Fast	9	1.080
CJBF70H	7'	40 (50) 60	Fast	11	1.100
CJBF70XH	7'	50 (60) 80	Fast	12	1.125
CJBF80	8'	20 (30) 40	Fast	9	1.145
CJBF80H	8'	30 (40) 50	Fast	9	1.160
CJBF80XH	8'	40 (50) 60	Fast	10	1.210
CJBF90M	9'	25 (40) 50	Fast	9	1.125

### TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CTS55H	5'6"	30 (40) 80		10	.830
CTS55XH	5'6"	40 (50) 60		12	.825
CTS60H	6'0"	30 (40) 60		10	.830
CTS60XH	6'0"	40 (50) 100		12	.855

### FAST TAPER TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CTSF50XXH	5'	60 (80) 100	Fast	14	.900
CTST55XH	5'6"	50 (60) 80	Fast	12	.875
CTSF55XXH	5'6"	60 (80) 100	Fast	14	.930
CTSF55XXXH	5'6"	80 (100) 130	Fast	16	.950
CTSF60XH	6'0"	50 (60) 80	Fast	12	1.060
CTSF60XXH	6'0"	60 (80) 130	Fast	14	1.060
CTSF60XXXH	6'0"	80 (100) 130	Fast	16	.945
CTSF63XXH	6'3"	60 (80) 100	Fast	14	1.100
CTSF63XXXH	6'3"	80 (100) 130	Fast	14	1.000
CTS63XXXXH	6'3"	80 (100) 150	Fast	16	1.10

### MEDIUM ACTION LIVE BAIT & JIG ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CSB807	8'0"	20 (25) 30		9	.785
CSB907	9'0"	20 (25) 30		9	.860
CSB909	9'0"	25 (30) 50		10	.940
CSJ90	9'0"	20 (25) 30		8	.940
CSJ100	10'0"	20 (25) 40		8	.970

### BASS CASTING & SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
CBS705	7'0"	8 (10) 15	3/8 - 3/4	5	.575
CBS706	7'0"	8 (12) 20	1/2 - 1	5 1/2	.580
CBS707	7'0"	10 (12) 25	3/8 - 1 1/2	5 1/2	.585

### INSHORE ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
CSW556	5'6"	10 (12) 15	3/4 - 1 1/2 oz	6 1/2	.510
CBW598	5'9"	15 (20) 25	3/4 - 1 1/2 oz	7	.790
CBW658	6'6"	15 (20) 25	1/2 - 2 oz	7	.800
CSW705	7'0"	8 (10) 15	3/8 - 3/4 oz	6	.640
CSW706	7'0"	10 (12) 17	1/2 - 1 oz	6 1/2	.665
CSW708	7'0"	12 (15) 20	3/4 - 1 1/2 oz	7	.680
CBW709	7'0"	20 (25) 30	1 - 3 oz	8	.800
CBW809	8'0"	20 (25) 30	1-4 oz	8	.875
CSW857	8'6"	10 (15) 17	1/2 - 2 oz	7	.800
CSW858	8'6"	12 (15) 20	3/4 - 2 1/2 oz	7	.820
CSW908	9'	12 (15) 20	3/4 - 2 1/2 oz	7	.850
CSW808	8'	15 (20) 25	1/2 - 3 oz	8	.860



Randy Penny: Winner of the Seeker's coveted Expert Angler Award

## PREMIUM QUALITY "E" GLASS/BORON SALTWATER ROD BLANKS

The hottest new blanks from Southern California—developed by a group of experts. Manufactured in a modern facility utilizing specially built equipment, tooling, and materials and located in the heart of Southern California. We at SEEKER™ are confident that our blanks will exceed all of your expectations for quality, durability, finish and performance. All blanks are one-piece unless otherwise specified. All blanks are available in black or gold.



**Joe Pfister, VP/GM:**  
Trying out a new blank design.

### BRITISH STYLE SURF CASTING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CSU100	10'0"	12 (15) 25	1-3 oz.	6 1/2	.965
CSU110	11'0"	12 (20) 30	2-4 oz.	6 1/2	.965
CSU115	11'6"	15 (25) 40	5-8 oz.	9	.945
CSU120	12'0"	15 (25) 40	5-8 oz.	9	.945
CSU125	12'6"	15 (25) 40	5-8 oz.	9	.945
CSU130	13'0"	15 (25) 40			

### FAST ACTION LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
LB701	7'0"	8 (10) 15		6	.785
LB702	7'0"	8 (12) 20		6	.830
LB704	7'0"	10 (15) 25		6 1/2	.900
LB706	7'0"	12 (20) 30		7	.930
LB708	7'0"	15 (25) 40		8	.955
LB799	7'9"	20 (30) 50		8	.980
LB804	8'0"	10 (15) 25		6 1/2	.965
PT80	8'0"	10 (15) 25		7	.890
LB806	8'0"	12 (20) 30		7	.980
LB806H	8'0"	15 (25) 40		8	.995
LB90	9'0"	15 (25) 40		8	.970
LB100	10'0"	15 (25) 40		8	1.070

### JIG & HEAVY BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
JB60L	6'0"	20 (25) 40		9	.805
JB60	6'0"	20 (30) 50		9	.870
JB65L	6'6"	20 (25) 40		9	.855
JB65	6'6"	20 (30) 50		9	.950
JB65H	6'6"	30 (40) 80		10	.990
JB65XH	6'6"	40 (60) 100		11	.995
JB70L	7'0"	20 (25) 40		9	.920
JB70	7'0"	20 (30) 50		9	.975
JB70H	7'0"	30 (40) 80		10	1.015
JB80	8'0"	20 (30) 50		9	.930
JB80H	8'0"	30 (40) 80		10	1.080
JB80XH	8'0"	40 (60) 100		12	1.045

### FAST TAPER JIG & HEAVY BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
JBF60L	6'0"	20 (25) 40		9	.935
JBF60	6'0"	20 (30) 50		9	.950
JBF65L	6'6"	20 (25) 40		9	.965
JBF65	6'6"	20 (30) 50		9	1.060
JBF65H	6'6"	30 (40) 80		10	1.090
JBF80	8'0"	20 (30) 50		10	1.210
SS65XF	6'6"	30 (40) 80		8	1.085

### LONG RANGE STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
TS55	5'6"	20 (30) 50		9	.885
TS55H	5'6"	30 (40) 80		10	.900
TS55XH	5'6"	40 (60) 100		12	.930
TS55XXH	5'6"	50 (80) 130		14	.950
TS59XXH	5'9"	60 (100) 150		16	1.050
TS60H	6'0"	30 (40) 80		10	.895
TS60XH	6'0"	40 (60) 100		12	.970
TS63XXH	6'0"	50 (80) 130		14	1.000

### FAST TAPER STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
TSF55XL	5'6"	15 (20) 30		9	.800
TSF55L	5'6"	20 (25) 40		9	.935
TSF55	5'6"	20 (30) 50		9	.990
TSF55H	5'6"	30 (40) 80		10	.975
TSF55XH	5'6"	40 (60) 100		12	1.030
TSF55XXH	5'6"	50 (80) 130		14	.995
TSF60H	6'0"	30 (40) 80		10	.990
TSF60XH	6'0"	40 (60) 100		12	1.090
TSF60XXH	6'0"	50 (80) 130		14	1.055

### MEDIUM ACTION LIVE BAIT & JIG ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SB803	8'0"	10 (12) 15		6 1/2	.830
SB805	8'0"	15 (20) 25		7	.855
SB806	8'0"	15 (20) 30		7	.900
SB807	8'0"	20 (25) 30		9	.965
SB903	9'0"	12 (15) 20		6 1/2	.860
SB906	8'0"	15 (20) 30		7	.930
SB907	9'0"	20 (25) 30		9	.970
SB908	9'0"	25 (30) 40		9	1.015
SB909	9'0"	30 (40) 50		10	1.015

### S-GLASS JIG BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
S36	8'	20 (25) 30		10	.950
SD8	8'	25 (30) 40		11	1.10
ULUA93H	9'3"	30 (40) 60		14	1.375
ULUA93H-10	10'	25 (40) 60		8	1.375
ULUA100	10'	20 (30) 40		8	1.35

### JIG BAIT & SURF ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SJ85	8'6"	20 (25) 30		8	1.160
SJ90	9'0"	20 (25) 30		8	1.200
SJ90F	9'0"	20 (30) 50		8	1.240
SJ100L	10'0"	20 (25) 30			
SJ100	10'0"	20 (30) 40		8	1.355
SJ100H	10'0"	40 (50) 60		9	1.375
SJ100XH	10'0"	40 (60) 80			

SJ/ULUA EXT. Adds 5' Removable or glue-in extension

### ONE PIECE SURF ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SU1153M	11'6"	15 (20) 30	3-6 oz.	12	1.060
SU153	11'6"	15 (20) 30	3-6 oz.	13	1.140
SU1154M	11'6"	20 (25) 30	4-8 oz.	12	1.105
SU1155	11'6"	20 (30) 40	6-10 oz.	14	1.165



**TWO-PIECE SURF ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SU80	8'0"	12 (15) 20	1-3 oz.	6 1/2	.900
SU90	9'0"	12 (15) 20	1-4 oz.	6 1/2	.960
SU100L	10'0"	12 (15) 20	2-4 oz.	7	1.055
SU105H	10'6"	20 (30) 40	4-8 oz.	14	1.205
SU120	12'0"	15 (20) 30	3-6 oz.	7	1.270
SU150	15'0"	15 (25) 40	4-8 oz.	7	1.580

**BREAKWATER BASS ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
BW607XF	6'0"	12 (15) 20		6	.770
BW639XF	6'3"	20 (25) 30		7	.895

*Extremely fast tapers with lots of power. Excellent for Tarpon and Snook.*

**EAST COAST AND GULF COAST PLUG AND SPINNING ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
PS72	7'2"	10 (15) 20		7	.700
PS78	7'8"	12 (20) 30		7	.780
PS80	8'0"	15 (20) 25		6	.815
PS85	8'6"	20 (25) 40		8	.985
PS90	9'0"	15 (20) 25		6	1.076
PS100	10'0"	20 (25) 40		8	1.245

**ROCK COD AND GAFF BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
4FT. GAFF	4'0"			30 (1/4 I.D.)	.765
6FT. GAFF	6'0"			30 (1/4 I.D.)	.930
8FT. GAFF	8'0"			30 (1/4 I.D.)	1.050
10FT. GAFF	10'0"			30 (1/4 I.D.)	1.170

**ONE-PIECE BOAT & TROLLING ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
BT20	7'0"	18 (20) 25		10	.850
BT30	7'0"	25 (30) 40		14	.905
BT50	7'0"	40 (50) 60		16	.995

*All of the One-Piece Boat & Trolling Rod Blanks are available in a White Finish at an Additional Cost*

**MARLIN LIVE BAIT ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
MLB16	7'0"	16		9	.820
MLB20	7'0"	20		9	.890
MLB30	7'0"	30		9	.905
MLB50	7'0"	50		9	.930
MLB30H	7'3"	30		10	.900

**LIFT POLE BLANKS**

LIGHT	10'	SKIPJACK
MEDIUM	10'	ALBACORE
HEAVY	10'	TUNA

Available in black or white paint finish, a heavy duty trolling rod blank for the finest custom trolling rods. Designed especially for East Coast, Gulf Coast, Hawaii and Australia. Designed for standard AFTCO Uni-Butt ferrules. Up to 6" of the blank butt may be trimmed off without affecting the butt diameter. The blanks are smoothly polished and finished with several coats of white or black epoxy paint for an impeccable finish.

**I.G.F.A. TROLLING ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
IGFA12	5'8"	12 lb.		11	.745
IGFA16	5'8"	16 lb.		12	.745
IGFA20	5'8"	20 lb.		13	.745
IGFA30	5'8"	30 lb.		16	.745
IGFA50	5'8"	50 lb.		17	.870
IGFA80 "Stubie" 3'7"		80 lb.		23	.995
IGFA80	5'9"	80 lb.		23	.995
IGFA130	5'10"	130 lb.		29	1.180
IGFA180	6'6"	180 lb.		23	1.180
IGFA180H	6'6"	UNLIMITED		23	1.325

**HEAVY**

MODEL	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
IGFA 30H*	5'8"	30 lb.		16	.745
IGFA 50H*	5'8"	50 lb.		17	.870
IGFA 80H*	5'9"	80 lb.		23	.995
IGFA 180H*	6'6"	180 lb.		23	1.180

**ONE-PIECE FULL LENGTH I.G.F.A. ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
IGFA12LG	7'0"	12 lb.		11	.850
IGFA16LG	7'0"	16 lb.		12	.870
IGFA20LG	7'0"	20 lb.		13	.880
IGFA30LG	7'0"	30 lb.		16	.930
IGFA50LG	7'0"	50 lb.		17	.970
IGFA80LG	6'6"	80 lb.		24	1.010
IGFA50H	5'8"	50+		17	.870
IGFA80H	5'9"	80+		23	.995
IGFA130	5'10"	130+		29	1.180



**Mark:** The ULUA Man "I wouldn't go fishing without my ULUA Jig Rod."

## FIBERGLASS "E" GLASS/BORON FRESHWATER & LIGHT SALTWATER ROD BLANKS

A versatile line of freshwater and light saltwater blanks. These blanks feature special thin-wall designs and a high-density lamination process that reduces rod weight and increases performance. Available with one-piece blanks also available in gold. Two-piece models feature our TRANSFLEX™ ferrule, that produces a smooth power-transition between the tip and butt sections of the blank. This gives our two-piece blanks the strength and feel on a one-piece rod!

### ONE-PIECE FRESHWATER SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SP501-1	5'0"	2 (2) 4	1/16 - 5 1/2	5 1/2	.370
SP550-1	5'6"	1 (2) 4	1/32 - 3/16	4 1/2	.465
SP601-1	6'0"	2 (4) 6	1/16 - 1/4	5 1/2	.420
SP652-1	6'6"	2 (4) 8	1/8 - 3/8	5 1/2	.610
SP702-1	7'0"	2 (4) 8	1/8 - 3/8	6	.430
SP703-1	7'0"	4 (6) 10	1/4 - 5/8	5 1/2	.680
SP704-1	7'0"	6 (8) 12	1/4 - 5/8	5	.685
SP753-1	7'6"	4 (6) 10	1/4 - 1/2	5 1/2	.725

### TWO-PIECE FRESHWATER SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SP551	5'6"	2 (4) 6	1/8 - 5/16	5	.500
SP601	6'0"	2 (4) 6	1/8 - 5/16	5 1/2	.540
SP602	6'0"	2 (4) 8	1/8 - 3/8	5	.490
SP603	6'0"	4 (6) 10	1/4 - 1/2	5	.550
SP604	6'0"	6 (8) 12	1/4 - 5/8	5	.640
SP652	6'0"	2 (4) 8	1/8 - 3/8	5	.535
SP653	6'6"	4 (6) 10	1/4 - 1/2	5	.590
SP654	6'6"	6 (8) 12	1/4 - 5/8	5 1/2	.635
SP700	7'0"	1 (2) 4	1/32 - 3/16	4 1/2	.465
SP703	7'0"	4 (6) 10	1/4 - 1/2	5	.640
SP704	7'0"	6 (8) 12	1/4 - 5/8	5 1/2	.660
SP753	7'6"	4 (6) 10	1/4 - 1/2	6	.665
SP754	7'6"	6 (8) 12	1/4 - 5/8	5 1/2	.790

### BASS SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
BS552	5'6"	4 (6) 10	1/8 - 3/8	4 1/2	.605
BS553	5'6"	6 (8) 12	1/8 - 5/8	5	.610
BS591	5'9"	4 (6) 8	1/16 - 5/16	4 1/2	.535
BS604	6'0"	8 (10) 15	1/4 - 3/4	5	.655
BS665	6'6"	8 (10) 17	3/8 - 3/4	5	.705
BS701	7'0"	4 (6) 8	1/16 - 5/16	4 1/2	.630
BS705	7'0"	8 (10) 17	3/8 - 3/4	5	.765
BS706	7'0"	8 (12) 20	1/2 - 1	6	.775
BS756	7'6"	8 (12) 20	1/2 - 1	4 1/2	.845

### BASS CASTING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
BC604	6'0"	6 (8) 15	3/8 - 1/2	5	.660
BC605	6'0"	8 (10) 17	1/4 - 3/4	5	.675
BC606	6'0"	8 (12) 20	3/8 - 1	5 1/2	.675
BC607	6'0"	10 (15) 25	3/8 - 1 1/4	5	.690
BC705	7'0"	8 (10) 20	1/4 - 3/4	5	.785
BS706	7'0"	10 (12) 20	3/8 - 1	5 1/2	.785
BF758	7'6"	12 (20) 30	3/8 - 2	7	.810
BF758X	7'6"	12 (20) 30	3/8 - 2	7	.801



Pro-Staff lady angler Deena Nelson likes to catch big fish on Seeker Inshore Rods.

### MUSKY ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
MU606	6'0"	12 (20) 30	1 - 3	11	.810

### POPPING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
P702	7'0"	6 (10) 12	1/4 - 1/2	5	.685
P704	7'0"	8 (12) 15	1/4 - 3/4	5 1/2	.685
P706	7'0"	10 (14) 20	1/2 - 1	6	.775
P708	7'0"	12 (15) 25	1 - 3	8	.825

### STEELHEAD, SALMON MOOCHING & DOWNRIGGER ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SH792	7'9"	6 (12) 15	1/4 - 5/8	5	.720
SH804	8'0"	8 (15) 20	3/8 - 1	5	.810
SH832	8'3"	6 (12) 15	1/4 - 5/8	4 1/2	.775
SH851	8'6"	6 (10) 12	1/8 - 1/2	4 1/2	.705
SH854	8'6"	8 (15) 20	3/8 - 1	5	.865
SH904	9'0"	8 (15) 20	3/8 - 1	5	.910
SH1004	10'0"	8 (15) 20	3/8 - 1	5	1.000
SH1056	10'6"	10 (15) 20	3/8 - 1 1/2	7	.850

All of the above blanks are two-piece

### SALMON MOOCHING

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SA853F	8'6"	10 (20) 25	5/8 - 1 1/2	5 1/2	.940
SA896	8'9"	12 (20) 30	1 - 2 1/2	8	.920

All of the above blanks are two-piece

### DOWNRIGGER

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SP702-1	7'0"	2 (6) 8			
DR822	8'2"	6 (12) 15	3/4 - 1	5	.795

All of the above blanks are two-piece

### TWO-PIECE MAGNUM-TAPER HEAVY FRESHWATER & LIGHT SALTWATER ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
MS65	6'6"	8 (12) 15		5 1/2	1.00
MS70	7'	8 (12) 15		5 1/2	1.00
MS75	7'6"	8 (12) 15		5 1/2	1.00

### MAGNUM-TAPER BAIT

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
MB79	7'9"	10 (15) 25		7	1.00
MB83	8'3"	10 (15) 20		6	1.00

### BLUE "S" GLASS BLANKS - EXTREME SERIES

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
EX270H-7	7'	15 (25) 40			
EX870	7'	15 (25) 40			
EX270H-8	8'	15 (25) 40			
EX670	7'	20 (30) 50			
EX6470	7'	20 (30) 50			
EX6480	8'	20 (30) 50			
EX665	6'6"	20 (30) 50			
EXSD8	8'	20 (30) 50			
EX6465H	6'6"	30 (40) 80			
EX6455XH	5'6"	40 (60) 100			
EX6460XH	6'	40 (60) 100			
EX6455XXH	5'6"	50 (80) 130			
EX6460XXH	6'	50 (80) 130			
EX660	6'	20 (30) 50			
EXULA93H	9'3"	30 (40) 60			
EX6465	6'	25 (30) 40			
C-EXULUA93H-10	10'	25 (40) 60			

## CLASSIC SERIES "E" GLASS/BORON SALTWATER ROD BLANKS

### ONE-PIECE FRESHWATER SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
110	6'0"	2 (4) 6		4 1/2	.400
120-51/2	5'6"	2 (4) 8		5	.560
120-6	6'	2 (6) 8		5	.560
130-61/2	6'6"	4 (6) 10		5 1/2	.665
130-7	7'0"	4 (6) 10		5 1/2	.735
147	7'0"	6 (8) 12		6 1/2	.830

### FAST ACTION LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
140	6'5"	6 ( 8 ) 12		6 1/2	.800
195-6	6'0"	8 (10) 20		6	.710
195H-6	6'0"	10 (12) 25		7	.710
196-6	6'0"	10 (15) 25		6 1/2	.790
196H-6	6'0"	12 (15) 30		7	.820
196L-7	7'0"	8 (12) 20		6 1/2	.875
196-7	7'0"	10 (15) 25		6 1/2	.875
196L-8	8'0"	8 (12) 20		6	.950
196-8	8'0"	10 (15) 25		6 1/2	.950
196H-8	8'0"	12 (20) 30		8	.960
210	7'6"	10 (15) 30		7	.850
220	8'6"	10 (15) 30		7	.915
229	9'0"	10 (15) 30		6	.815
270-6	6'0"	12 (20) 30		7	.800
270-7	7'0"	12 (20) 30		8	.925
270H-7	7'0"	15 (25) 40		8	.925
270-8	8'0"	12 (20) 30		7	.990
270H-8	8'0"	15 (25) 40		8	.995
865	6'6"	15 (25) 40		8	.920
865H	6'6"	20 (30) 50		9	.975
865XH	6'6"	25 (40) 60		10	1.020
870	7'0"	15 (25) 40		8	.960
970	7'0"	15 (25) 40		7	.975
6865	6'6"	15 (25) 40		8	.970
6870	7'0"	20 (30) 50		8	1.005

### FAST ACTION LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
660L	6'0"	20 (25) 40		8	.820
660	6'0"	20 (30) 50		9	.910
665L	6'6"	20 (25) 40		8	.855
665	6'6"	20 (30) 50		9	.910
665H	6'6"	30 (40) 80		10	1.025
665XH	6'6"	40 (60) 100		11	1.025
670L	7'0"	20 (25) 40		9	.915
670	7'0"	20 (30) 50		9	.970
670-8	8'0"	20 (30) 50		9	1.050
670-9	8'0"	20 (30) 50		9	1.115
670H	7'0"	30 (40) 80		10	1.045
670XH	7'0"	40 (60) 100		11	.990
670H-8	8'0"	30 (40) 80		10	1.100
690J	9'0"	15 (25) 40		9	1.015

### FAST TAPER JIG & BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
6460L	6'0"	20 (25) 40		8	.920
6460	6'0"	20 (30) 50		9	.990
6465L	6'6"	20 (25) 40		8	.965
6465	6'6"	20 (30) 50		9	1.035
6465H	6'6"	30 (40) 80		10	1.065
6470	7'0"	20 (30) 50		9	1.080
6480	8'0"	20 (30) 50		8	1.085
6490	9'0"	30 (40) 60		9	1.300

### LONG RANGE STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
655	5'6"	20 (30) 50		9	.885
655H	5'6"	30 (40) 80		10	.900
655XH	5'6"	40 (60) 100		12	.990
655XXH	5'6"	50 (80) 130		14	.935
660H	6'0"	30 (40) 80		10	.990
660XXH	6'0"	50 (80) 130		14	.945

### FAST TAPE STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
6455L	5'6"	20 (25) 40		8	.990
6455	5'6"	20 (30) 50		9	.945
6455H	5'6"	30 (40) 80		10	.950
6460H	5'6"	30 (40) 80		10	1.015
6455XH	5'6"	40 (60) 100		12	.965
6460XH	5'6"	40 (60) 100		12	1.025
6450XXH	5'0"	50 (80) 130		14	.965
6455XXH	5'6"	50 (80) 130		14	.990
6460XXH	5'6"	50 (80) 130		14	1.050

### JIG/BAIT & SURF ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
530	9'0"	15 (25) 40		9	.975
550	9'0"	20 (40) 80		9	.900
540	10'0"	20 (30) 50		9	1.310
540-EXT	5'0"				1.310
540-FERRULE	12"				
550	9'0"	20 (40) 80		9	.900

### ROCK COD ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
775-7	7'0"	50 (80) 100		18	.945
775-71/2	7'6"	50 (80) 100		20	.970
775-8	8'0"	50 (80) 100		20	.990

### SPECIALITY ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
200	7'0"	10 (12) 20		7	.775
330	7'0"	15 (25) 40		12	.830
400	7'0"	10 (15) 30		7	.775
500	7'0"	20 (25) 30		8	.880
600	7'0"	25 (30) 60		8	1.020
610	7'0"	25 (30) 60		9	1.035
610H	7'0"	30 (40) 80		10	1.170
700	7'9"	15 (30) 50		10	.990
800	8'0"	20 (40) 60		8	1.080
820	7'6"	15 (30) 50		8	1.025



**Russ Dean:** Seeker Pro-Staff and break-wall guide counts on Seeker Inshore Rods.

## HOW TO READ SEEKER™ BLANK NUMBER SYSTEM:

Each SEEKER™ Rod Blank has a model number that is coded with the length and power of the rod blank.

All SEEKER™ Blanks are given a power rating within their own category type. Our power rating numbers will run between 0 (lightest) to 9 (heaviest), but may vary from category to category. We also use XL (extra-light) to XXXH (triple-extra heavy) on saltwater blanks, however this may vary from category type to category type also. An example of how power ratings will vary from category to category is: A freshwater spinning rod with a #4 power rating is a medium heavy power rod, where a saltwater live bait rod with a #4 power rating is a light power rod within its category type.

## SEEKER™ BLANK NUMBERING SYSTEM EXAMPLES:

### Model No. LB 704

LB = Fast Action Live Bait;  
70 = 7.0 ft;  
4 = #4 Power or 12-20 lb. test line in its particular category.


### Model No. SP 653

SP = Fast Action Freshwater Spinning;  
65 = 6.5 ft;  
3 = #3 Power or 1/4 or 1/2 oz. lures and 4-10 lb. line.

### Model No. TS 55XH

TS = Medium Action Tuna Stick;  
55 = 5.5 ft;  
XH = Extra Heavy Power or 50-80 lb. line.

## ACTION DESCRIPTIONS



## CLASSIC SERIES NUMBER SYSTEM:

On the Classic Series saltwater rod blanks we have adopted the "Original California Tackle" numbering system which has, to some degree, become generic.



Seeker Rod Company  
1340 W. Cowles, Long Beach, CA 90813  
Phone (562) 491-0076 • FAX (562) 435-7599  
Outside of Southern California  
Phone 1-800-3-SEEKER • FAX 1-800-SEEK ROD  
www.seekerrodsusa.com

## BASIC BLANK PREFIX DESIGNATIONS:

### FIBERGLASS SALTWATER BLANKS

LB – Fast Action Live Bait  
PT – Power Taper Live Bait  
JB – Medium/Fast Action Jig and Bait  
JBF – Fast Taper Jig and Bait  
SS – Very Fast Action Jig and Bait "Socorro Special"  
TS – Medium Action Tuna Stick  
TSF – Fast Taper Tuna Stick  
SB – Medium/Slow Action Jig and Bait  
SJ – Medium/Fast Action Surf and Jig  
BW – Extra-Fast Action Breakwater Bass  
PS – Fiberglass Plug and Spinning  
BT – Fiberglass Boat/Trolling  
RC – Medium Action Rock Cod  
R – Regulation Trolling – West Coast Style  
MLB – Marlin Live Bait Casting  
IGFA – International Game Fish Assc. Chair Trolling  
ULUA – ULUA Casting  
SW – Inshore Saltwater

### GRAPHITE COMPOSITE SALTWATER BLANKS

CLB – Composite Fast Action Live Bait  
CJB – Composite Medium/Fast Action Jig and Bait  
CTS – Composite Medium Action Tuna Stick  
CTSF – Composite Fast Taper Tuna Stick  
CSB – Composite Medium Action Jig and Bait  
CSU – Composite Surf  
CBC – Composite Bass Casting  
CBS – Composite Bass Spinning  
CSW – Composite Inshore Saltwater

### FRESHWATER AND LIGHT SALTWATER

SP – Fiberglass Fast Action Freshwater Spinning  
BS – Fiberglass Fast Action Bass Spinning  
BC – Fiberglass Fast Action Bass Casting  
BF – Fiberglass Medium Action Bass Flipping  
TC – Fiberglass Trigger Casting and Cranking  
SH – Fiberglass Fast Action Steelhead  
SA – Fiberglass Medium/Fast Action Salmon Mooching  
DR – Fiberglass Medium/Slow Action Down Rigger  
MS – Fiberglass Magnum Taper Fast Action Spinning  
MB – Fiberglass Magnum Taper Fast Action Bait  
MU – Fiberglass Musky  
P – Fiberglass Popping

## ROD BLANK SUFFIX DESIGNATIONS:

F – Very Fast Action  
M – Medium or Moderate Action  
XF – Extra Fast Action  
LG – Extended (Longer Length)

## SALTWATER ROD BLANK SUFFIX POWER DESIGNATIONS:

XL – Extra Light Power  
L – Light Power  
H – Heavy Power  
XH – Extra Heavy Power ~ 30 - 80  
XXH – Double Extra Heavy Power ~ 40 - 100  
XXXH – Triple Extra Heavy Power ~ 50 - 130